

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: PIZZA HUT #012474 (SOUTHPORT) (ID: 265358)
Facility Name: PIZZA HUT #012474 - SOUTHPORT
Facility Code: 00476-01 Facility Email: stevep@hrgweb.com
Facility Address: 1151 BROADWAY ELMIRA, NY 14904

To the Attention of:
STEPHEN PINKERTON HOSPITALITY WEST, LLC
ATTN: PERMITS, PH #012474 PO BOX 1269
TRAVERSE CITY , MI 49685- Owner/Operator Email: valeried@hrgweb.com

Inspection

Date: MAR 14, 2018 02:08 PM
Inspector: Zachary Brueckman (zbrueckman@co.chemung.ny.us)
Responsible Person: Alyson Slusser
(email:)

Summary

Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 1

Each item found in violation is reported below along with the code requirement.

POOR SANITARY DESIGN, CONSTRUCTION, INSTALLATION OF EQUIPMENT AND UTENSILS.

ITEM # 10B WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Non-food contact surfaces and equipment are improperly designed, constructed, installed, maintained (equipment not readily accessible for cleaning, surface not smooth finish)

Inspector Findings

Door gaskets of walk-in freezer are in disrepair. Time table of correction set for 4/1/18.

Additional Information Collected During Inspection

Comments

Facility has operation thermocouple. Observed staff breaking down pizza bar and discarding TCS (time/temperature control for safety) pizza during 4 hour discard time per hot holding waiver requirements. Temperature of shredded cheese in cold holding buffet line was 44F. Diced hard boiled eggs on buffet line had a temperature of 42F. Observed shredded cheese in pizza make unit at a temperature of 34F. Sliced pepperoni in same unit was 41F. Shredded cheese in stand up commercial refrigerator near cash register had a temperature of 38F. Observed adequate lighting in walk-in dough storage cooler. Observed clean baffle inside facility's ice machine-corrected from previous inspection.

END of REPORT

[Submit# 370693] PIZZA HUT #012474 (SOUTHPORT) (ID 265358) Inspection#

1002281694