

Chemung County Department of Health  
Environmental Health Services  
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588  
(607) 737 - 2019  
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: ROSAR'S GRILL (ID: 884860)  
Facility Name: ROSAR'S GRILL  
Facility Code: 01227-01 Facility Email: None  
Facility Address: 114-118 JOHN STREET HORSEHEADS, NY 14845

To the Attention of:  
CHRISTINA BRINK CBNB1307 LLC  
DBA - ROSAR'S GRILL 114 JOHN ST.  
HORSEHEADS , NY 14845- Owner/Operator Email: cbnb1307@gmail.com

Re-Inspection  
Date: FEB 15, 2018 03:32 PM  
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)  
Responsible Person: emailed to operator  
(email: )

Summary  
Number of public health hazards found: 1  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 1

Each item found in violation is reported below along with the code requirement.

**FOODS NOT PROTECTED FROM CONTAMINATION BY WORKERS.**

**ITEM # 3C WAS FOUND IN VIOLATION 1 TIME(S). CRITICAL VIOLATION**

All or parts of the violation item are IN violation.

Code Requirements

Food workers do not use proper utensils to eliminate bare hand contact with cooked or prepared foods.

Inspector Findings

Upon entering facility, observed employee had just finished cutting limes at bar with a knife and cutting board for drink garnishes. Observed that employee was not wearing gloves. Interview with employee indicated that he did not wear gloves while cutting limes. Discussed that drink garnishes are placed into or onto patrons beverages and therefore are considered a ready to eat food item and staff are to prevent bare hand contact with drink garnishes by wearing gloves or use other type of barehand contact prevention methods when handling. Employee discarded cut limes. Employee then wash hands, put on gloves, washed new limes for cutting. CORRECTED

**POOR SANITARY DESIGN, CONSTRUCTION, INSTALLATION OF EQUIPMENT AND UTENSILS.**

**ITEM # 10B WAS FOUND IN VIOLATION 1 TIME(S).**

All or parts of the violation item are IN violation.

Code Requirements

Non-food contact surfaces and equipment are improperly designed, constructed, installed, maintained (equipment not readily accessible for cleaning, surface not smooth finish)

Inspector Findings

Observed interior lid of chest freezer (insulation exposed) in basement. Operator stated she tried glueing interior of lid but the glue did not hold. Operator stated a new freezer is being delivered on 2/20/18 to replace unit.

---

Additional Information Collected During Inspection

Comments

The following items have been corrected from previous inspection: 8A) Waste line have been boxed in to provide a protective barrier between line and soda-dispensing equipment in basement. 11A) Quaternary ammonia test strips available.

---

END of REPORT

[Submit# 364304] ROSAR'S GRILL (ID 884860) Inspection# 1002275044