

Chemung County Department of Health  
Environmental Health Services  
103 Washington Street  
P. O. Box 588  
Elmira, NY 14902-0588  
(607) 737-2019  
EHS@co.chemung.ny.us

## Food Service Establishment Inspection Summary Report

Operation: ROSSI LANES (ID: 265292 )  
Facility Name: ROSSI LANES  
Facility Code: 00259-02  
Facility Address: 410 West Washington Avenue, Elmira, NY 14901

### To the Attention of:

Mary Navone  
ROSSI LANES, INC.  
Po Box 578  
Elmira, NY 14902

### Inspection

Date: September 27, 2018 02:00 PM  
Inspector: Michael Cain (mcain@co.chemung.ny.us)  
Responsible Person: Sarah Navone, Mammager

### Summary

Number of Public Health Hazards Found:	0
Number of Public Health Hazards NOT Corrected:	0
Number of Other Violations Found:	2

---

*Each item found in violation is reported below along with the code requirement.*

### NO CRITICAL VIOLATIONS REPORTED

---

### IMPROPER SANITARY FACILITIES AND CONTROLS.

#### ITEM #12A WAS FOUND IN VIOLATION 1 TIME(S).

*All or parts of the item are violations.*

**Code Requirements:** Hot, cold running water not provided, pressure inadequate

**Inspector Findings:** At 2-bay sink next to ice machine in rear storage- Hot water found turned off. Was turned on, however, the handle does not shut-off, in disrepair.

---

## INADEQUATE INSECT/RODENT CONTROL

### ITEM #14C WAS FOUND IN VIOLATION 1 TIME(S).

*All or parts of the item are violations.*

**Code Requirements:** Pesticide application not supervised by a certified applicator

**Inspector Findings:** Spray can of insecticide found improperly stored in rear storage room across from ice machine- was removed during inspection- Corrected. Pesticide application can only be done by a licensed pesticide applicator.

---

### Additional Information Collected During Inspection

**Comments:** A Time Table of Compliance Date of October 10, 2018 has been established to correct the violations listed above. A re-inspection will be conducted after this date to determine compliance. Discussed proper use of utensils and plastic gloves with Manager during inspection. Sanitizer test kit was available at bar sink. Also discussed routine hand washing for kitchen staff during inspection.

---



Inspector: Michael Cain (mcain@co.chemung.ny.us)



Received by: Sarah Navone, Mammager