

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: THE SHINGLE (ID: 265297)
Facility Name: SHINGLE, THE
Facility Code: 00273-01 Facility Email: None
Facility Address: 205 WEST THURSTON STREET ELMIRA, NY 14901

To the Attention of:
JAMES & DELCINE CHIMILESKI
THE SHINGLE 205 W. THURSTON ST.
ELMIRA , NY 14901- Owner/Operator Email: jimchimileski@gmail.com

Inspection

Date: APR 20, 2018 01:15 PM
Inspector: Michael Cain (mcain@co.chemung.ny.us)
Responsible Person: Jim Chimileski, Operator
(email:)

Summary

Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 1

Each item found in violation is reported below along with the code requirement.

IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.

ITEM # 11D WAS FOUND IN VIOLATION 1 TIME(S).

Part or parts of the violation item were observed to be in violation which were corrected at the time of inspection.

Code Requirements

Non food contact surfaces of equipment not clean

Inspector Findings

At bar area, beer cooler vent cover- dirty surfaces- Operator cleaned vent cover in beer cooler during inspection- Corrected.

Additional Information Collected During Inspection

Comments

Monitoring thermometers available inside refrigerated storage equipment which is used to store cold potentially hazardous (TCS) foods- equipment maintained at less than 45 dF. Operator was observed properly thawing frozen fish under cold running water in sink in kitchen. Employees were observed properly using utensils during inspection. Sanitizer test kit (chlorine) was available for checking dish machine sanitizer- was checked w/ inspector's test kit- +200 ppm.

END of REPORT

[Submit# 381055] THE SHINGLE (ID 265297) Inspection# 1002292077