

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Institutional Food Service Inspection -- Summary Report

Operation: SOUTHPORT CORRECTIONAL FACILITY - FOOD SVC (ID: 265664)
Facility Name: SOUTHPORT CORRECTIONAL FACILITY
Facility Code: 07-0522 Facility Email: None
Facility Address: 236 BOB MASIA DRIVE ELMIRA, NY 14904

To the Attention of:
NYS DEPARTMENT OF CORRECTIONS
MICHAEL McGINNIS, SUPT. INSTITUTION RD.
ELMIRA , NY 14904- Owner/Operator Email: john.rafferty@doccs.ny.gov

Inspection

Date: FEB 23, 2018 11:39 AM
Inspector: Zachary Brueckman (zbrueckman@co.chemung.ny.us)
Responsible Person: Emailed to Blaine Swartz
(email:)

Summary

Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

NO VIOLATIONS WERE OBSERVED.

Code Requirements

Inspector Findings

Additional Information Collected During Inspection

Comments

No violations observed during inspection. Facility has accurate probe thermometers. Boiled eggs in water bath being hot held on service line had a temperature of 145 F. Facility uses chlorine to sanitize, and has appropriate test strips to evaluate concentration. Per food service director pest control operator inspects facility for rodents twice a month.

END of REPORT

[Submit# 366374] SOUTHPORT CORRECTIONAL FACILITY - FOOD SVC (ID 265664) Inspection# 1002276885