

Food Service Establishment Inspection Summary Report

Operation: THE SHOE INN (ID: 266530)
Facility Name: SHOE INN, The
Facility Code: 00578-01
Facility Address: 10 Town Line Road, Van Etten, NY 14889

To the Attention of:

Dawn Shoemaker
The Shoe Inn
10 Town Line Rd
Van Etten, NY 14889
Email: shoeinn1@yahoo.com

Re-Inspection

Date: September 27, 2018 03:05 PM
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)
Responsible Person: Emailed To Operator

Summary

Number of Public Health Hazards Found:	0
Number of Public Health Hazards NOT Corrected:	0
Number of Other Violations Found:	3

Each item found in violation is reported below along with the code requirement.

NO CRITICAL VIOLATIONS REPORTED

IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM #12C WAS FOUND IN VIOLATION 2 TIME(S).

All or parts of the item are violations.

Code Requirements: Plumbing and sinks not properly sized, installed, maintained; equipment and floors not properly drained

Inspector Findings: 1) No indirect drain observed under drink ice bin at bar. 2) Soda waste line not plumbed into indirect drain under ice bin at bar. Waste line is currently draining into a bucket. Time table of correction for both items 10/12/18.

IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM #12D WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the item are violations.

Code Requirements: Toilet facilities inadequate, inconvenient, dirty, in disrepair, toilet paper missing, not self-closing doors, missing hand wash signs

Inspector Findings: Mens restroom door propped open during inspection. Discussed with staff that door is to be closed during hours of operation.

Additional Information Collected During Inspection

Comments: The following items has been corrected from previous inspection: 8A) All dry goods were stored on shelving unit (6inches off the floor).



Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)