

Chemung County Department of Health
Environmental Health Services
103 Washington Street
P. O. Box 588
Elmira, NY 14902-0588
(607) 737-2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection Summary Report

Operation: THE STRAWBERRY MANSION SOCIETY (ID: 949075)
Facility Name: STRAWBERRY MANSION SOCIETY
Facility Code: 01293-01 Facility Email: rcombs@strawberrymansionsociety.com
Facility Address: 1849 West Water Street, Elmira, NY 14905

To the Attention of:

Monique Gravatt
THE STRAWBERRY MANSION SOCIETY
7 Hendy Creek Rd.
Elmira, NY 14905
Email: monique@strawberrymansionsociety.com

Pre-op Inspection

Date: November 29, 2018 10:23 AM
Inspector: Zachary Brueckman (zbrueckman@co.chemung.ny.us)
Responsible Person: Amy Saulnier

Summary

Number of Public Health Hazards Found:	0
Number of Public Health Hazards NOT Corrected:	0
Number of Other Violations Found:	1

Each item found in violation is reported below along with the code requirement.

NO CRITICAL VIOLATIONS REPORTED

IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.

ITEM #11D WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the item are violations.

Code Requirements: Non food contact surfaces of equipment not clean

Inspector Findings: Dirty surfaces inside microwave.

Additional Information Collected During Inspection

Comments: Observed functional digital probe thermometer. Homestyle refrigerator with hanging thermometer at a temperature of 35F. Temperature of sliced American cheese in homestyle refrigerator observed at 41F. Facility only serving commercially prepared soups and cold sandwiches, and all leftovers are discarded. No cooling of potentially hazardous foods.



Inspector: Zachary Brueckman
(zbrueckman@co.chemung.ny.us)