

Chemung County Department of Health
Environmental Health Services
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588
(607) 737 - 2019
EHS@co.chemung.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: TURTLE LEAF CAFE (ID: 887253)
Facility Name: TURTLE LEAF CAFE
Facility Code: 01230-01 Facility Email: None
Facility Address: 315 EAST WATER STREET ELMIRA, NY 14901

To the Attention of:
ADAM BUNCE CASMAR, LLC
DBA - TURTLE LEAF CAFE 315 E. WATER ST.
ELMIRA , NY 14901- Owner/Operator Email: adam@turtleleafcafe.com

Re-Inspection
Date: MAR 15, 2018 10:30 AM
Inspector: Michael Cain (mcain@co.chemung.ny.us)
Responsible Person: Adam Bunce, Operator
(email:)

Summary
Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

NO VIOLATIONS WERE OBSERVED.

Code Requirements

Inspector Findings

Additional Information Collected During Inspection

Comments

Conducted a re-inspection due to violations noted on previous inspection report of 2-14-18. Item # 11D-Interior bottom surfaces of refrigerator at front counter area have been cleaned, Item # 15 A- Two ceiling panels which were missing previously have been re-installed, Item # 15 B- Hood filters above kitchen cook line have been cleaned- Previous violations have been corrected. Will conduct a HACCP training exercise with Operator later in year.

END of REPORT

[Submit# 371054] TURTLE LEAF CAFE (ID 887253) Inspection# 1002282046